



## **Terrazzo Agglomerate** Cleaning Treatment & Maintenance.

[www.stratatiles.co.uk](http://www.stratatiles.co.uk)

The purpose of this document is to explain the use and application methods for FILA products and the tools necessary for the best routine maintenance (every day) and extra maintenance (periodically as needed).

**strata**  
tiles



## Initial Cleaning or Extra Maintenance

The initial washing is necessary to remove the residue of the grout and to prepare the floor for the treatment with the impregnator.

<b>Product</b>	<b>CLEANER PRO*</b> diluted 1:30
<b>Equipment</b>	Single-disc professional cleaner fitted with a white pad; floor cloth or mop
<b>Procedure</b>	Proceed by applying the solution over the floor, leave to act for five minutes and then work over the surface with a single disc professional cleaner with a white pad. Use a cloth or 'aqua vac' to remove residues and then rinse thoroughly with clean water.
<b>Coverage</b>	1 liter for 50 m <sup>2</sup>

## Protecting Indoor Floors

<b>Product</b>	<b>MP 90 ECO XTREME*</b>
<b>Equipment</b>	Brush or fleece pad clean dry lint free cotton cloth or single-disc floor scrubber.
<b>Procedure</b>	<p><b>For matt agglomerates:</b> Apply MP90 ECO XTREME evenly and continuously on a clean and dry surface using a brush or fleece pad, wetting the grout lines as well. Dab any excess product with a clean cloth before it dries. On highly absorbent materials, apply two coats of product with a 20-minute interval in between.</p> <p><b>For polished agglomerates with glossy finish:</b> Apply MP90 ECO XTREME on a clean and dry surface, wetting the material and grout lines completely using a Brush or fleece pad. Before the product dries (roughly 10-15 minutes), rub it using a microfibre cloth wetted with the product to favour its penetration. Dry the surface with a clean cloth. To speed up the process, it is possible to treat the surface with a single-disc floor scrubber.</p>
<b>Coverage</b>	1 liter for 20 -30 m <sup>2</sup> approx.

\*To maintain optimal the treatment we advise to evaluate the re-application of **FILA MP90 ECO XTREME\*** at least every 2-3 years, on a dry and clean surface.

## Routine Maintenance

<b>Product</b>	<b>CLEANER PRO*</b> diluted 1:200/ 25 ml in 5 litres of water
<b>Equipment</b>	Single-disc professional cleaner fitted with a white pad; floor cloth or mop
<b>Procedure</b>	For routine maintenance, dilute Fila CLEANER PRO* in water 1:200. Clean surface with a clean mop, cloth or a single disc cleaning machine. At this dilution rinsing is not necessary.
<b>Coverage</b>	1 liter for 1500 m <sup>2</sup>

# strata tiles

Strata Tiles have a comprehensive stock list of cleaning and maintenance products in the UK warehouse and are able to provide after-care advice on the following..

<b>Glass</b>	Glass Mosaic
<b>Ceramic</b>	Glazed Ceramic Glazed Wall Ceramic
<b>Cement Granite and Marble</b>	Honed Cement Granite and Cement Marble Polished Cement Granite and Cement Marble
<b>Porcelain</b>	Honed Porcelain Polished Porcelain Natural Porcelain Structured and Ribbed Porcelain
<b>Limestone</b>	Honed Limestone Polished Limestone Flamed and Sandblasted Limestone
<b>Onyx</b>	Flamed and Sandblasted Onyx Honed Onyx Polished Onyx
<b>Granite</b>	Polished Granite Brushed, Sandblasted, Honed and Flamed Granite
<b>Marble</b>	Honed Marble Polished Marble
<b>Resin Marble &amp; Quartz</b>	Polished Resin Marble Polished Resin Quartz
<b>Slate</b>	Riven Slate
<b>Encaustic</b>	Encaustic Cement
<b>Terrazzo</b>	Terrazzo Cement Agglomerate