



Chromgres

Technical Data Sheet

Colours



Finishes



Natural (N)
R9 A

Polished (P)
-

Ribbed (R)
R10 A

Structured (S)
R11 A

Sizes & Formats (cm)

	5x60 10.5mm	10x10 10.5mm	10x30 10.5mm	15x15 10.5mm	15x60 9.5mm	30x30 9.2mm	30x60 9.2mm	45x45 9.5mm	60x60 10.5mm
SCG01	-	-	-	-	-	N/P	N/P/S/R	N/P	N/P
SCG02	N	N	N	N	N	N/P	N/P/S/R	N/P	N/P
SCG03	N	N	N	N	N	N/P	N/P/S/R	N/P	N/P
SCG04	-	-	-	-	-	N/P	N/P/S	-	-
SCG05	-	-	-	-	-	N/P	N/P/S	-	-
SCG06	-	-	-	-	-	N/P	N/P/S	N/P	N/P
SCG07	N	N	N	N	N	N/P	N/P/S/R	N/P	N/P
SCG08	N	N	N	N	N	N/P	N/P/S/R	N/P	N/P
SCG09	N	N	N	N	N	N/P	N/P/S/R	N/P	N/P
SCG10	-	-	-	-	-	N/P/S/R	N/P/S/R	-	-
SCG11	-	-	-	-	-	N/P	N/P/S	N/P	N/P
SCG12	-	-	-	-	-	N/P/S/R	N/P/S/R	-	-



Chromgres

Technical Data Sheet

Technical Details

Classification in accordance with CEN EN 14411 GRUPPO BIa UGL (ISO 13006)

Features

- Dimension & surface quality
- Water absorption
- Flexural strength
- Modules of rupture
- Deep abrasion resistance
- Linear thermal expansion
- Thermal shock resistance
- Frost resistance
- Resistance to acids & alkalis
- Stain resistance

Standards

- UNI EN ISO 10545-2
- UNI EN ISO 10545-3
- UNI EN ISO 10545-4
- UNI EN ISO 10545-4
- UNI EN ISO 10545-6
- UNI EN ISO 10545-8
- UNI EN ISO 10545-9
- UNI EN ISO 10545-12
- UNI EN ISO 10545-13
- UNI EN ISO 10545-14

Results

- Conforms
- $\leq 0.05\%$
- $> 50 \text{ N/mm}^2$
- 2500 - 6000 N
- $< 140 \text{ mm}^3$
- $7 \times 10^{-6} \text{ }^\circ\text{C}^{-1}$
- Resistant
- Resistant
- ULA/UA
- Min Class 3 +

